

DIFFERENT TYPES OF COUPLERS & CLAMPS

Forged Swival / Rotating



Size : 40 / 40 mm

Forged Fixed / Double



Size : 40 / 40 mm

Sheet Swival / Rotating



Size : 40/40, 40/50, 50/50

Sheet Fixed / Double



Size : 40 / 40 mm

Forged Wedge Swival / Rotating



Size : 40 / 40 mm

Forged Wedge Swival / Rotating



Size : 40 / 40 mm

Putlog



Size : 40 / 40 mm

Sleeve



Size : 40 / 40 mm

Toe Board Bracket



Size : 40 mm

Cuplock
Assembly & Fittings



Ledger Blade
(Hole Type)



Ledger Blade
(Without Hole)



C-Clamp (Left & Right)



Size :

Girder Coupler



Size : 40 mm Pipe

Top Cup



Bottom Cup



TIE ROD & FITTINGS

Waller Plate



Wing Nut



3-Wing Anchor Nut



Water
Barrier
(Without
Disc)



2-Wing Anchor Nut



Water Barrier
(Disc
Type)



Tie Rod




Base Jack




Size : 32, 34, 36, 38 mm

U-Jack



Size : 32, 34, 36, 38 mm

Universal Jack



Size : 32, 24, 26, 38 mm

Stirrup Head



Size : 32 mm

Base Jack



Size : 32 mm

Stirrup Nut



Size : 1.5 Inch Pipe Seating

Jack Nut (Casting)




Stirrup Nut



Size : 2 Inch Pipe Seating

Jack Nut (Forging)



Prop Nut (Casting)



A. Heavy Type



B. Export Type



C. Neck Type

Prop Sleeve




A Neck type




B Export Type


Locking Pin



A. G-Type




B. Q-Type




C. Rope Type


Doka Clamp (Beam Clamp)




Different models of Base Plate.




A. 2 Inch Pipe




B. 2.5 mm Strip



C. 1 inch Pipe




D. Rocking Base Plate




E. Socket Base Plate


Prop Top Plate* 100 x 350 & 300 x 6 mm



Prop Bottom Plate* 150 x 150 x 6




Prop Washer ID: 50 mm




** Hole type and without hole type available*


H-FRAME



Brace Lock System



H-FRAME LOCK



Scaffolding Stand Wheel




Break Type



Ordinary

Span Bolt & Nut Accessories



Nut



Step Nut

Span Bolt.
3/4 x 93 mm



Step Bolt
3/4 x 93 mm



C-Clamp
Step Bolt
Assembly



Vertical
Eye Bolt
5/8 x 60 mm

